

Index

Symbols

\$LOCAL 3-67

Numerics

802.3 FRAMING 4-5
8BIT CHARACTER SETS 3-22

A

ACTIVE ON MAILING LIST 3-102
ACTIVE, LISTSERV OPTION 5-8
ADDRESS 3-78
ADDRESS FORMATS, HPDESK 6-4
ADDRESS OF MAILLIST MEMBER 3-93
ADDRESS, HPDESK FSC GATEWAY 3-79
ADDRESS, LISTSERV COMMAND 5-7
ADE TRANSACTION FORMATS 3-117
ADMINISTRATIVE USER 3-16
ADMINSTRATOR, ALLOWING ACCESS 3-54
ADVERTISE USER 3-57
ADVERTISE USER (GLOBAL SETTING) 3-37
AGING DAYS 3-39, 3-66
ALIAS 3-75
ALIASES MAINTENANCE 3-85
ALIASES, BROWSING 3-86
ALIASES, DELETING 3-86
ALIASES, UPDATING 3-86
ALLOW DISABLE RECEIPTS 3-43, 3-62
ALLOW EXTENDED CMDS 3-40, 3-61
ALTERNATE HOST NAME 3-26, 3-81
ALTERNATE NAME SETTING (GLOBAL SETTING) 3-26
ALT-HOSTNAME 3-67
ARPAQUEUE (JCW) 3-126
ARPAQUEUE JCW 3-129
ARPAREF PROCESS (HPDESK) 6-13
ATTACHMENTS 3-136
AUTO LISTING 3-42, 3-64
AUTOMATIC DIRECTORY EXCHANGE (ADE) 3-115
AUTOMATIC MAILBOXES 3-72
AUTO-PROCESS MM FILES 3-41, 3-64
AUTO-PROCESSING MAIL 3-72

B

BACKGROUND JOB 1-10, 3-126
BACKUP (OF SYSTEM) 3-130
BIND (NAMESERVER) 3-29
BINHEX ENCODING 3-112

Index

BINHEXED ATTACHMENTS (GATEWAY ISSUES)	3-136
BROWSING ALIASES	3-86
BROWSING MAIL USERS	3-48
BYTES RECEIVED	3-84
BYTES SENT	3-83

C

CACHED	3-79
CCMAIL	3-138
CHANGING HOST INFORMATION	3-76
CHARON GATEWAY	3-138
CHECK SPELLING	3-58
CHECK SPELLING (GLOBAL SETTING)	3-38
CHECKING FOR NEW MAIL	3-57
CHECKSUMS (TCP/IP)	4-5
COMMAND FILES	3-72
COMMANDS, MPE	3-35
COMMANDS, MPE (PER USER)	3-54
COMMUNICATIONS LINE FAILURES	4-3
COMPANY NAME	3-51

D

DATABASE CAPACITIES (CHANGING)	3-8
DATABASE STATISTICS	3-5
DAYTIME PROTOCOL	5-3
DAYTIME SOCKET	5-3
DBCOPY UTILITY	3-8
DDN	2-2
DEBUGGING SUGGESTIONS	3-10
DEFAULT ENCODING	3-112
DEFAULT GATEWAY	2-5
DEFAULT GATEWAYS	4-5
DEFAULT USER (HPDESK)	4-4
DELETE (ALIASES)	3-87
DELETE MAILING LIST MEMBERS	3-105
DELETING ALIASES	3-86
DELETING MAIL USERS	3-48
DELIVERY TIMEOUTS	3-11
DEPARTMENT	3-51
DEPARTMENT MAILING LISTS	3-91
DESCRIPTION OF MAILING LIST	3-92, 3-96, 3-99
DESK LOCATION	3-113
DESKHEAD.DATA.THREEK	3-114
DESKLINK.JOB.THREEK	6-13
DESKLINKVERIFY (JCW)	3-127
DESKLINKVERIFY JCW	3-129
DESKREFORMATRECIPS (JCW)	3-128

Index

DESKREFORMATRECIPS JCW	3-129
DESKUSESHORTADDR JCW	3-130
DEVICE, FORWARDING TO	3-71
DIALUP INTERNET LINKS (SCHEDULED ACCESS)	3-142
DIGEST FILE (MAILING LIST)	3-97
DIGEST FILE, LAST DISTRIBUTION	3-98
DIRECTORY SYNCHRONIZATION	3-115
DIRECTORY UPD (MAILBOX)	3-117
DIRECTORY UPD MAILBOX	3-115
DIRECTORY, HPDESK, ADDING FOREIGN ADDRESSES	6-14
DISPLAY LINES	3-45, 3-54
DISPLAY MINIMAL HEADER	3-41, 3-42, 3-63, 3-64
DISPLAY PAUSE	3-43, 3-44, 3-45, 3-54, 3-63
DISTRIBUTION LIST NAME	3-90, 3-94
DNS (MX) RECORDS	3-30
DOMAIN NAME SERVER	3-29, 3-133, 3-135
DOMAIN NAME SERVERS (DNS)	2-5
DOMAIN.ORG	3-69

E

EDIT FLAG	3-106
EDITOR.PUB.SYS	3-39
EFT/FSC MENU (HPDESK)	6-7
EMAIL ADDRESS, MAILING LIST	3-100
EMPLOYEE ID	3-49
ENABLE FINGER SERVER	3-23
ENABLEFTP (JCW)	3-126, 3-128
ERRORLOG.NETMAIL	3-121
ETHERNET ENABLED	3-133, 4-5
EXAMPLE CONFIGURATIONS	3-132
EXCLUDES.DATA.THREEK	3-123
EXCLUDING ACCESS BY IP ADDRESS	3-123
EXPAND, LISTSERV COMMAND	5-7
EXTENDED CAPABILITIES	3-67, 3-69, 3-70
EXTERNAL LOADING (GLOBAL SETTING)	3-20

F

FAX DEVICE	3-31
FAX OUTPUT	3-72
FAX RECIPIENTS	3-72
FILE ATTACHMENTS (GATEWAY ISSUES)	3-136
FILE EQUATIONS, JANITOR	3-129
FILENAME, FORWARDING TO	3-71
FILTERS, MESSAGE	3-124
FINGER PROTOCOL	5-5
FIREWALL	3-27
FIREWALL ROUTERS	4-5

Index

FORCE ALL MAIL THROUGH THE TRUSTED GATEWAY	3-27
FOREIGN ADDRESSES IN HPDESK	6-14
FORMATTING ADDRESSES IN HPDESK	6-4
FORMS MESSAGE (FAX OUTPUT)	3-72
FORWARD TO A DEVICE	3-71
FORWARD TO A FILE	3-71
FORWARD TO MPE FILES	3-71
FORWARD TO NODE	3-70
FORWARD TO USER	3-69
FSCAREF PROCESS	6-2
FSCAREF PROCESS (HPDESK)	6-13
FUNCTION KEY LABELS (NOTIFICATION)	3-36

G

GATEWAY	3-135, 3-136
GATEWAY ENCODING	3-112
GATEWAY INPUT FILENAME	3-111
GATEWAY OUTPUT FILENAME	3-111
GATEWAY SYSTEM	3-27
GATEWAYS	4-5
GENERAL DELIVERY MAILBOX (HPDESK)	3-129
GET PROGRAM	5-2
GET.SYS.THREEK	5-2, 5-4
GETDNSHOSTNAME (JCW)	3-127
GETDNSHOSTNAME JCW	3-129
GLOBAL DEFAULT SETTINGS	3-16
GMT OFFSET	3-18
GOPHERTELL (JCW)	3-126, 3-128
GREENWICH MEAN TIME (HPDESK)	6-11

H

HELP, LISTSERV COMMAND	5-7
HIDDEN, LISTSERV SET OPTION	5-8
HIDE HOSTNAME	3-30
HIDE MEMBER, MAILING LIST	3-101
HOME SYSTEM	3-67
HOST ALIAS (GLOBAL SETTING)	3-26
HOST DESCRIPTION	3-81
HOST NAME	3-77, 3-109
HOST SYSTEMS	3-4
HOSTNAME PROTOCOL	5-5
HOSTS, FINDING	3-76
HOURS BETWEEN DIGEST POSTINGS	3-98, 3-102
HOURS RETRYING, NORMAL MAIL	3-31
HOURS RETRYING, URGENT MAIL	3-32
HPDESK ADDRESS FORMATS	6-4
HPDESK FSC GATEWAY	3-15

Index

HPDESK GATEWAY CONFIGURATION SUPPLEMENT	3-15
HPDESK GENERAL DELIVERY MAILBOX	3-129
HPDESK LOCATION	3-113
HPDESK NETWORK ADDRESS	3-80
HPDESK, DIRECTORY, ADDING FOREIGN ADDRESSES	6-14

I

ID, EMPLOYEE	3-49
INACTIVE, LISTSERV OPTION	5-8
INFOBOTS	3-72
INITIAL SET UP	3-2
INSTALLATION FOR SECURITY/PLUS USERS	3-19
INTERNET ACCESS,DIALUP SCHEDULED	3-142
INTERRUPTIVE MAIL NOTIFICATION	3-36
IP ADDRESS	3-4

J

JANITOR (FILE EQUATION)	3-127, 3-129
JANITOR Program	3-129
JCL LINES	3-107
JCW (GET PROGRAM)	5-2
JCW, ARPAQUEUE	3-129
JCW, DESKLINKVERIFY	3-129
JCW, DESKREFORMATRECIPS	3-129
JCW, DESKUSESHORTADDR	3-130
JCW, GETDNSHOSTNAME	3-129
JCW, SEPARATESTDLISTS	3-129
JOB, BACKGROUND	3-126

K

KNOWN HOSTS MAINTENANCE	3-77
-------------------------------	------

L

LAST RECEIVED FROM	3-82
LAST RUN	3-50
LAST SENT TO	3-82
LIMITING DELIVERY ATTEMPTS	3-11
LINKING USERS TO MPE LOGONS	3-85
LIST SERVER	5-6
LISTSERV ACTIVE OPTION	5-8
LISTSERV ADDRESS COMMAND	5-7
LISTSERV EXPAND COMMAND	5-7
LISTSERV HELP COMMAND	5-7
LISTSERV HIDDEN OPTION	5-8
LISTSERV INACTIVE OPTION	5-8
LISTSERV QUIT COMMAND	5-8
LISTSERV REVIEW COMMAND	5-8

Index

LISTSERV SET COMMAND	5-8
LISTSERV SHOW COMMAND	5-8
LISTSERV SUBSCRIBE COMMAND	5-8
LISTSERV UNHIDDEN OPTION	5-8
LISTSERV UNSUBSCRIBE COMMAND	5-9
LISTSERV VERIFY COMMAND	5-9
LISTSERV.DATA.THREEK	5-6
LOADED	3-80
LOADING MAILBOXES, EXTERNAL	3-20
LOCAL AREA NETWORKS	2-3
LOCAL LANGUAGE	3-59
LOCAL PRINTERS	3-67
LOCKING OUT USERS	3-120
LOCKOUT.PUB.THREEK	3-120
LOGGING ERRORS	3-121
LOGGING MESSAGES	3-121
LOGON FOR MAIL USERS	3-75

M

MAIL ADMININSTRATOR ACCESS	3-54
MAIL ADMINISTRATOR	3-2, 3-4
MAIL DIRECTORY SYNCHRONIZATION	3-115
MAIL HUB	3-139
MAIL LIST, ##DIRECTORY IN	3-115
MAIL LISTS, ##DIRECTORY OUT	3-115
MAIL PRIORITY (GLOBAL)	3-34
MAIL PRIORITY (USER)	3-61
MAIL ROBOTS	3-72
MAIL SYSTEM ADMINISTRATOR (DESIGNATING)	3-35
MAIL SYSTEM MAINTENANCE	3-120
MAIL SYSTEMS	1-2
MAILBOX NAME	3-48
MAILBOX PASSWORD	3-53
MAILBOX, ##DIRECTORY UPD	3-115
MAILBOXES ROUTED TO FAX	3-72
MAILCONFIG (HPDESK)	6-5
MAILDIR.NETMAIL.THREEK	3-117
MAILDUMP JOB.THREEK	3-116
MAILDUMP.JOB.THREEK	3-117
MAILDUMP.PUB.THREEK	3-117
MAILFSCAREFON (HPDESK)	6-12
MAILING ADDRESS	3-55
MAILING LIST	3-90, 3-94
MAILING LIST \$ALL	3-91
MAILING LIST \$NEWUSERS	3-91
MAILING LIST DESCRIPTION	3-92, 3-96, 3-99

Index

MAILING LIST DIGEST FILE	3-97
MAILING LIST EMAIL ADDRESS	3-93, 3-100
MAILING LIST HIDE MEMBER	3-101
MAILING LIST HOURS BETWEEN DIGEST POSTINGS	3-98, 3-102
MAILING LIST MAINTENANCE	3-116
MAILING LIST MEMBER REALNAME	3-93
MAILING LIST OWNER	3-91, 3-95
MAILING LIST REALNAME	3-101
MAILING LIST SECURITY	3-97
MAILING LIST TYPE	3-96
MAILING LIST, ACTIVE MEMBER	3-102
MAILING LIST, DELETE MEMBERS	3-105
MAILING LIST, LAST DIGEST DISTRIBUTION	3-98
MAILING LIST, MODIFY	3-92
MAILING LISTS OF DEPARTMENTS	3-91
MAILING LISTS OWNED BY \$SYSTEM	3-89
MAILING LISTS OWNED BY THE PUBLIC	3-89
MAILING LISTS OWNED PRIVATELY	3-89
MAILING LISTS, LIST SERVER	5-6
MAILMANOFF (HPDESK)	6-12
MAILON (HPDESK)	6-12
MAILROOMOFF (HPDESK)	6-12
MAILSTATUS (HPDESK)	6-12
MAILSTATUS COMMAND (HPDESK)	6-2
MAILUPD.JOB.THREEK	3-117
MAILUPD.PUB.THREEK	3-117
MAILUSER NAME	3-48
MAINTENANCE MENU	3-15
MAINTENANCE OF MAILSYSTEM	3-120
MAINTENANCE PROGRAM	3-2
MAINTENANCE, MAILING LIST	3-116
MAX MAILBOX BYTES	3-44, 3-52
MAXIMUM MAIL PRIORITY	3-34, 3-61
ME/IX 4.0 NETWORKING	2-5
MENU INTERFACE	3-44, 3-52
MERCURY GATEWAY	3-138
MESSAGE ATTACHMENTS	3-136
MESSAGE DISPLAY LINES	3-45, 3-54
MESSAGE FILTERS	3-124
MESSAGE ID	3-17
MESSAGE LOGGING	3-121
MESSAGE RULES	3-124
MESSAGES RECEIVED	3-83
MESSAGES SENT	3-83
MHS MAILERS	3-138
MICROSOFT MAIL	3-138

Index

MIME ENCODING	3-112
MIME ENCODING (SETTING OPTIONS)	6-3
MINHEAD.DATA.THREEK	3-63
MODIFY MAILING LIST	3-92
MODIFYING HOST INFORMATION	3-76
MODIFYING MAIL USERS	3-48
MPE COMMANDS	3-35, 3-54
MPE COMMANDS (GLOBAL SETTING)	3-35
MPE COMMANDS FOR USERS	3-54
MPE FILES, FORWARDING TO	3-71
MPE LOGON FOR MAIL USERS	3-75
MPE SESSION NAMES	3-85
MX (MAIL EXCHANGER) DNS RECORDS	3-139
MX RECORDS	3-30

N

NAME PROTOCOL	5-5
NAME SERVER (DNS)	3-29
NAME,HOST	3-109
NAMESERVER	3-29, 3-133, 3-135
NAMESERVER (MX) RECORDS	3-30
NAMESERVERS (DEBUGGING)	4-5
NATIVE LANGUAGES	3-59
NATIVE-3000 (LANGUAGE)	3-60
NETEDIT	3-60
NETEDIT.PUB.THREEK	3-39
NETMAIL.JOB.THREEK	3-126
NETMAIL.NETMAIL.HPOFFICE (FILE)	6-4, 6-12
NETMAINT ALIASES MAINTENANCE SCREEN	3-85
NETMAINT DATABASE INFORMATION MENU	3-6, 3-16, 3-34, 3-47, 3-74, 3-76, 3-85, 3-89, 3-104, 3-109
NETMAINT HP DESK GATEWAY CONFIGURATION MAINTENANCE	3-109
NETMAINT INTERFACING PROGRAM MAINTENANCE SCREEN	3-104
NETMAINT KNOWN HOSTS MAINTENANCE SCREEN	3-76
NETMAINT MAILING LIST MAINTENANCE SCREEN	3-89
NETMAINT MAIN MENU	3-5, 3-6
NETMAINT MAINTENANCE MENU	3-15
NETMAINT PROGRAM	3-2
NETMAINT USER DEFAULTS SCREEN	3-34
NETMAINT USER MAINTENANCE (ADD) SCREEN	3-74
NETMAINT USER MAINTENANCE SCREEN	3-47, 3-76, 3-85
NETMAINT.PUB.THREEK	3-2
NETWORK	3-79
NETWORK ADDRESS	3-4
NETWORK DESCRIPTION	3-110
NETWORK STATISTICS	3-80

Index

NETWORKS, X.25	2-5
NEW MAIL NOTIFICATION	3-56, 3-57
NEWMAIL.PUB.THREEK	3-57
NEXT INDEX	3-17
NICNAME PROTOCOL	5-5
NODE, FORWARD TO	3-70
NOHEAD OPTION (FORWARD TO NODE)	3-71
NOTIFICATION	3-36, 3-56
NOTIFICATION OF NEW MAIL	3-57
NTMAIL	6-2

O

ONGOING MAINTENANCE	3-4
OPTION LOGON UDC	3-57
OSI	3-138
OUTGOING ADDRESS FORMAT	3-112
OWNER OF MAILING LIST	3-91, 3-95

P

PASSWORD (MAILBOX)	3-53
PC MAIL SERVER	3-68
PCMAIL CLIENT	3-68
PEGASUS MAIL	3-138
PERFORMANCE, MAIL JOB	3-126
PHONE NUMBER	3-52
PING PROGRAM (DEBUGGING)	4-4
PIPE (COMMAND FILE)	3-72
PIPING	3-72
PLACE HEADERS IN DESK MESSAGES	3-114
PMS2MAIL PROGRAM	3-3
POP (INTERNET MAIL ACCOUNTS)	3-141
POP2	1-10
POP2 CLIENT	3-68
POP2 CLIENTS	1-10
POP2 SERVERS (NUMBER OF)	3-23
POP3 SERVERS (NUMBER OF)	3-25
PPP (POINT TO POINT PROTOCOL)	3-140
PREVENTING SPAMMING	3-123
PRINTER	3-46, 3-66, 3-67
PRIORITY (GLOBAL SETTING)	3-34
PRIORITY (USER SETTING)	3-61
PRIVATE MAILING LISTS	3-89
PROBE	4-5
PROGRAM NAME	3-104
PROGRAM, NETMAINT	3-2
PROGRAM, SPELL CHECKER	3-20
PSEUDO MAILBOXES	3-70

Index

PUBLIC MAILING LISTS 3-89

Q

QUIT, LISTSERV COMMAND 5-8
QUOTE OF THE DAY PROOCOL 5-4
QUOTE OF THE DAY SOCKET 5-4
QUOTE PROTOCOL 5-3
QUOTECAT.DATA.THREEK 5-4
QUOTED PRINTABLE ENCODING 3-23

R

REAL NAME 3-50
REALNAME OF MAILLIST MEMBER 3-93
REALNAME, MAILING LIST 3-101
RECOVERY FROM SYSTEM INTERRUPTS 4-2
REFUSE.DATA.THREEK 3-124
REFUSING MAIL FROM CERTAIN HOSTS 3-123
REMOTE ACCESS RESTRICTION 3-123
REMOVING MAIL USERS 3-48
RESLVCNF.NET.SYS 3-135
REVIEW, LISTSERV COMMAND 5-8
RFCs 5-10
ROUTE OUTBOUND MAIL 3-27
ROUTERS (FIREWALLS) 4-5
ROUTERS LINKS AND GATEWAYS 2-4
RULES, MESSAGE 3-124

S

SCHEDULED INTERNET LINKS 3-142
SCREEN, DATABASE STATUS 3-5
SCREEN, MAINTENANCE MENU 3-15
SCREEN, USER MAINTENANCE 3-47
SECTION 3 MANAGING THE MAIL SYSTEM 3-1
SECURED 3-105
SECURED MAIL SYSTEM 3-3, 3-19
SECURED MAIL SYSTEM (GLOBAL SETTING) 3-19
SECURITY 3-55
SECURITY (RESTRICTIONS) 3-123
SECURITY 3000 3-3, 3-19, 3-20
SECURITY FIREWALL 4-5
SECURITY FIREWALLS 3-27
SECURITY OF MAILING LIST 3-97
SECURITY PLUS 3-20
SECURITY PLUS MESSAGE NOTIFICATION 3-57
SECURITY/PLUS 3-19
SECURITY/PLUS USERS 3-19
SENDMAIL PACKAGE 3-137

Index

SEPARATESTDLISTS (JCW)	3-127
SEPARATESTDLISTS JCW	3-129
SESSION,USER.ACCT	3-74, 3-87
SET, LISTSERV COMMAND	5-8
SETUSRIF.PUB.THREEK	3-45
SHOW, LISTSERV COMMAND	5-8
SIGNATURE FILE	3-59
SLAVED PRINTERS	3-67
SLIP (SERIAL LINE INTERNET PROTOCOL)	3-140
SMTP	1-4, 1-10
SMTP SERVERS	3-21
SMTPGW (HPDESK LOCATION)	6-14
SPAMMING, PREVENTING	3-123
SPECIAL CHARACTERS (USER NAMES)	3-49
SPECIAL MAILBOXES	3-70
SPELL CHECK MESSAGES	3-38
SPELL CHECKER	3-58
SPELL CHECKER (GLOBAL SETTING)	3-20
SPELL PROGRAM	3-20
STATISTICS	3-121
SUBSCRIBE, LISTSERV COMMAND	5-8
SYSTEM BACKUP	3-130
SYSTEM INFORMATION (HOSTS)	3-4
SYSTEM INTERRUPTS, RECOVERY	4-2
SYSTEM MANAGER (SM) CAPABILITY	3-2
SYSTEM PERFORMANCE	3-126
SYSTEMS MAILING LISTS	3-89

T

TCP/IP CHECKSUMS	4-5
TCPACCES.SYS.THREEK	5-5
TCPEERROR JCW (GET PROGRAM)	5-2
TELNET (USE IN DEBUGGING)	4-5
TEXT EDITOR	3-60
TIME LIMITS (MESSAGE DELIVERY)	3-11
TIME TO LIVE	3-81
TIME ZONE	3-17
TRANSACTION FORMATS (ADE)	3-117
TRANSIENT MESSAGES (SPACE USED)	3-8
TRUSTED GATEWAY (GLOBAL SETTING)	3-27
TYPE	3-106
TYPE OF MAILING LIST	3-96

U

UDC	3-57
UNHIDDEN, LISTSERV OPTION	5-8
UNSECURED MAIL SYSTEMS	3-3

Index

UNSUBSCRIBE, LISTSERV COMMAND	5-9
UPDATING ALIASES	3-86
UPDATING MAIL USERS	3-47, 3-48
USER	3-48
USER (ALIASES)	3-86
USER CHANGES	3-48
USERS	3-3
USERS PHONE NUMBER	3-52
USERS REAL NAME	3-50
USS SECURITY PLUS	3-3
USS SECURITY PLUS MESSAGE NOTIFICATION	3-57
USS SECURITY/PLUS	3-19, 3-20
UUCP	3-134, 3-136
UUCP SYSTEMS	3-78
UUENCODE	3-112
UUENCODED ATTACHMENTS (GATEWAY ISSUES)	3-136

V

VE2MAIL	3-3
VERIFY, LISTSERV COMMAND	5-9
VERIFYING DELETES	3-39, 3-65
VESOFT SECURITY 3000	3-3, 3-19, 3-20

W

WHOIS (ALLOWING DISPLAY)	3-57
WHOIS COMMAND	3-37
WHOIS PROTOCOL	5-5
WOLLONGONG, ADDRESS FORMATS	6-2
WORDPERFECT OFFICE	3-138

X

X.400	3-138
XEQ COMMAND FILE	3-72